Volume-2

SECTION 6

BILL OF QUANTITIES

PREAMBLE

Bill of Quantities for Construction works:

- 1. The Bill of Quantities shall be read in conjunction with the Instructions to Bidders, General and Special Conditions of Contract, Technical Specifications and Drawings.
- 2. The quantities given in the Bill of Quantities are estimated and are given to provide a common basis for bidding. The Contractor to measure the work under the observation and control of the Engineer, which shall be valued at the rates provided in the priced Bill of Quantities, where applicable, and otherwise at such rates as the Engineer may fix within the terms of the Contract, which shall form the basis for payments to the Contractor.
- 3. The rates in the priced Bill of Quantities shall, except in so far as it is otherwise provided under the Contract, include all construction plant, labour, supervision, materials, all temporary works and false works, erection, transportation, maintenance, insurance, administrative overheads, profit, taxes and duties, together with all general risks, liabilities and obligations set out or implied in the Contract, and including remedy of any defects during the Defects Liability Period.
- 4. A rate shall be entered against each item in the priced Bill of Quantities, whether quantities are stated or not. The cost of items against which the Contractor has failed to enter a rate or price shall be deemed to be covered by other rates entered in the Bill of Quantities.
- 5. The costs of complying with the provisions of the Contract shall be included in the items provided in the priced Bill of Quantities. Where no items are provided, the cost shall be deemed to be distributed among the rates and prices entered for the related items of work.
- 6. General directions and descriptions of work and materials are not necessarily repeated nor summarized in the Bill of Quantities. References to the relevant sections of the Contract documentation shall be made before entering rates against each item in the priced Bill of Quantities.
- 7. The Bill of Quantities of the Work is comprised of the various Bills of construction activities. During execution, however, the items existing in any of the Bills can be made applicable for execution elsewhere also on the Works if considered appropriate and directed by the Engineer.
- 8. The method of measurement of completed work for payment shall be as per Specification.
- 9. Errors, if any, shall be corrected by Employer in terms of Clause 27 of ITB.

Major Maintenance of Slope Protection and Structural Crack Repair Works at Chenani – Nashri section of NH-44 (Old NH-1A) from km. 89.00 to km. 130.00 including 9 km long tunnel (2 lane) with parallel escape tunnel in the state of Jammu & Kashmir

Bill of Quantities

Item	Description of item	T1	O	Rate in Rs.		Amoun	t in Rs.
No.	Description of item	Unit	Quantity	Figures	Words	Figures	Words
1.00	Earthwork in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including disposal of excavated earth, lead upto 50 meter and lift upto 1.5m, as directed by Engineer-in-Charge.	Cum	944.10			-	
	Soil excluding rock.						
2.00	SDA Bolts: Supply, drilling, installation and grouting of Φ32 Self-drilling anchor (SDA) bolts of the specified length, Yield load ≥230 KN (Slope, Tunnel Support and Face Bolts) as per approved drawings and Specifications or as directed by Engineer Incharge.	Meter	3,100.00			-	
3.00	Wire Mesh: Supply, cutting, placing and fixing into position with appropriate anchors of 150x150x6 mm or 100x100x4 mm welded wire fabric of Fy=480 MPa as reinforcement on slope surface with contractor's men, material, cost of pins, hooks, consumables, tools & plants, equipments, machnieries including all lead & lifts, loading, unloading, handling, wastage etc.	МТ	15.39			-	
4.00	Tecco Mesh: Installation of Tecco High Tensile steel wire mesh G65/3 with a nail pattern of 2x2 mtr and as directed by Engineer In-charge.	Sqm	3,225.00			-	

Item	Description of these	TI\$4	0	Rate i	n Rs.	Amoun	t in Rs.
No.	Description of item	Unit	Quantity	Figures	Words	Figures	Words
5.00	M-30 Shotcrete: Shotcreting lining of 200mm thickness with wiremesh/fibers as per design mix Shotcrete grade M-30 as per approved drawings and Specifications or as directed by Engineer, in following works with contractors men, material, consumables (including additives), tools & plants, equipments, machineries, including all lead & lifts, loading, unloading, wastages, rebound, curing etc - Note: i) Rates are inclusive of Cement. Nothing extra will be paid for rebound. ii) Payment for Supply of wiremesh / fibers will be done separately.	Sqm	1,560.00			-	
6.00	Perforated drainage pipe: Providing and laying of perforated (slotted) HDPE pipe class PN6 wrapped with geotextile of following diameters as drainage pipes with all fittings e.g. sleeves, Tee's etc, as per IS 16098 Part-2 with perforation made as per IS 9271 and as directed by Engineer-in-Charge: Micro-slotted PVC Pipes Ф50mm	Meter	13,065.00			-	
7.00	Geotextile: Providing, laying and fixing of protective felt (geotextile/nylon mesh) as per approved drawings and Specifications or as directed by Engineer, with a minimum weight of 500 g/m2 for protection of the waterproofing membranes & drainage on the finished outer surface including the cost of all materials only.	Sqm	2,052.25			-	

Item	Daniel Control	T T • 4	0	Rate i	in Rs.	Amoun	t in Rs.
No.	Description of item	Unit	Quantity	Figures	Words	Figures	Words
8.00	Earthwork in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed by Engineer-in-Charge	Cum	821.00			-	
9.00	Demolishing cement concrete manually/by mechanical means including disposal of material within 50 meters lead as directed by Engineer-in-Charge	Cum	240.00			-	
10.00	Plain Cement Concrete of Grade M-15 in Levelling course complete as per drawing and Technical Specification Section 1500, 1700 and 2100. Items rate shall be Inclusive of all material, taxes, duites, manpower, equipment cost, royalties, transportation etc.	Cum	131.81			-	
11.00	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, fillets etc upto floor V level, including curing including the cost of centring, shuttering and finishing. Concrete Mix: M-20 Cement concrete grade with the proportion of 1:1½:3 (1 part cement, 1½ parts coarse sand & 3 parts graded stone aggregate of 20 mm nominal size), maintaining proportion of 30% volume of	Cum	1,148.70			-	

Item	Description of items	T I 4	On andito	Rate i	in Rs.	Amoun	t in Rs.
No.	Description of item	Unit Quantity		Figures	Words	Figures	Words
	boulders embedded in 70% volume of concrete and as directed by Engineer-in-Charge						
12.00	Providing and supplying of Backfill for filling of area upto Plum wall level with approved material as directed by Engineer-in- Charge	Cum	1,200.00			-	
13.00	Providing and laying of Filter media satisfying the requirements laid down in clause 2504.2.2 of MORTH & specifications to a thickness of not less than 300mm with smaller size towards the soil and bigger size towards the wall and the entire surface compacted to a firm condition complete as per drawing Technical Specification 2500. Items rate shall be Inclusive of all material, taxes, duites, manpower, equipment cost, royalties, transportation etc	Cum	192.00			-	
14.00	Providing Weep Holes in Plum wall with 100 mm dia PVC SWR socketed pipe with rubber ring joints as per IS: 13592. pipe, extending through the full width of the structure with slope of IV:20H towards drawing face. Complete as per drawing and Technical specifications Section 2706 (Back side of pipe to be covered with geotextile membrane)	Nos.	600.00			-	
15.00	Supply & Fixing of TMT Fe-500D reinforcement steel conforming to IS:1786-1985 including all lead lift, labour, loading unloading, ascent, descent, crossings, royalty, taxes, transport (contractor's own), tools and plant complete.	MT	13.83			-	

Item	Donavinski za efist za	T I 24	Oma-:4:4-	Rate in Rs.		Amoun	t in Rs.
No.	Description of item	Unit	Quantity	Figures	Words	Figures	Words
16.00	Supply and installation of 750 KJ rockfall barrier on suitable height of slope with limited to 4 m height for the purpose of rockfall retention.	RM	103.00			-	
17.00	Providing and grouting the cracks after fixing the injection ports at predetermine locations with the help of suitable injection grouting pumps at suitable pressures using two-component, high strength, low viscous (<350 cps @ ambient temperatures) epoxy injection resin system having minimum pot life of 30 minutes at ambient temperatures, achieves compressive strength higher than 55 MPa at 1 day & 65 MPa at 7 days; Flexural strength higher than 55 MPa at 7 days; slant shear bond strength higher than 15 MPa in 7 days such as Master Inject 1315 of BASF make or equivalent, inclusive of Manpower, Material and Equipment. Packaging 3.33kg/unit	RM	859.02			-	
18.00	Applying Fosroc® Nitoseal PU40 to address leaks, drips, and seepage in the joints to effectively seal and waterproof the structures. Mixed with Fosroc Primer 7. Consumption: 5m/600ml	RM	3,918.05			-	
19.00	Plastering the wall surface 12mm thick with steel wiremesh (Chicken Net)	Sqm	216.00			-	

Item	Daniel diam e Cidena	TI4	0	Rate i	in Rs.	Amoun	t in Rs.
No.	Description of item	Unit	Quantity	Figures	Words	Figures	Words
20.00	Pavement Quality Concrete (PQC): Construction of unreinforced, dowel jointed, plain cement concrete pavement over a prepared sub base with 43 grade cement @ 400 kg per cum, coarse and fine aggregate conforming to IS 383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a batching and mixing plant as per approved mix design, transported to site, laid with a fixed form or slip form paver, spread, compacted and finished in a continuous operation including provision of contraction, expansion, construction and longitudinal joints, joint filler, separation membrane, sealant primer, joint sealant, debonding strip, dowel bar, tie rod, admixtures as approved, curing compound, finishing to lines and grades as per drawing or as directed by Engineer incharge including Breaking and proper Disposal at designated place.	Cum	28.13				
21.00	Dry Lean Concrete (DLC): Construction of dry lean cement concrete Sub- base over a prepared sub-grade with coarse and fine aggregate conforming to IS: 383, the size of coarse aggregate not exceeding 25 mm, aggregate cement ratio not to exceed 15:1, aggregate gradation after blending to be as per table 600-1, cement content not to be less than 150 kg/ cum, optimum moisture content to be determined during trial length construction, concrete strength not to be less than 10 Mpa at 7 days, mixed in a batching plant, transported to site, laid with a paver with	Cum	14.06				

Item	Description of item	Unit	Quantity	Rate i	in Rs.	Amoun	t in Rs.
No.	Description of item	ng Fig	Figures	Words	Figures	Words	
	electronic sensor, compacting with 8-10 tonnes vibratory roller, finishing and curing or as directed by Engineer incharge including Breaking and proper Disposal at designated place.						
22.00	Strip Seal Expansion Joints: Replacement of Expansion Joints of minor bridges at south & north portal respectively including all dismantling, removal, fixing of new expansion joint & covered by micro concrete or as directed by Engineer in- charge	RM	40.00				
	Total Amount in Rs.					_	

Note:

- 1. Quoted rates are inclusive of applicable GST as per ITB Clause 42.1 and other applicable taxes
- 2. Item rate shall be inclusive of all material, manpower, equipment cost, royalties, transportation, etc.
- 3. Bidder shall complete the construction works within **6 Months** from the date of commencement of works. The date of Commencement of works shall be within 3 to 4 weeks from issue of Letter of Award / signing of the Contract Agreement for the works, whichever is earlier.
- 4. Bidder shall arrange all the necessary equipment required to execute the work as per the Standards and Specifications and as per good industrial practice.
- 5. The Construction Performance Security amounting to 5% of the contract value (valid Bank Guarantee) shall be provided by the Bidder to CNTL as per Tender document before signing of contract. Construction Performance Security in the form of Irrevocable bank guarantee to be submitted from an approved scheduled bank/ nationalized bank in approved format. The Performance Bond will be valid right through the contract and till the end of 28 Days from defects liability period of 18 Months.
- 6. Defects Liability period of **18 Months** shall be considered from the date of final completion certificate issued by CNTL to Bidder for construction works. However, in case of any delay by the Authority for issuing a Final Completion Certificate to CNTL

- due to incomplete or unsatisfactory work of Bidder's scope, DLP shall be started after final completion certificate issued by the Authority to CNTL.
- 7. Bidder is required to procure bitumen from Indian refineries only for Bituminous works of MMR. However, the Bidder is expected to procure Bitumen from companies such as IOCL, Tikitar/ Shell, BPCL, HPCL which are approved by NHAI.
- 8. 5% of amount from each Running Account Bill of Bidder shall be deducted and withheld by CNTL towards Retention Money. The retention money shall be released interest free to Bidder by CNTL upon successful completion of Defects Liability Period of 18 Months.
- 9. The Bidder shall prepare and submit the running account bill to CNTL based on actual work executed. Upon acceptance of the works and based on primary records, CNTL shall release 85% of bill amount to the Bidder immediately within a week from the date of its submission after preliminary verification. The balance 10% amount shall be paid by CNTL to the Bidder after certification of measurements, reconciliation of Level sheet, Weigh bridge slips and core test results within 30 days from the date of its submission subject to necessary deductions.
- 10. The Bidder shall provide invoices of Bitumen Purchase and Weigh Bridge records for executed quantities with RA Bills. The RA Bills will not be processed further for release of payment in absence of the material invoices and test reports.
- 11. The Bidder shall ensure meeting all requirements of technical specifications and performance standards as provided in CNTL's Concession Agreement signed with NHAI and MoRTH / IRC specifications. Strict Adherence to the Quality assurance and testing for all works (including testing of imported bitumen) and any material or work not meeting the required specifications shall be clearly rejected. In case of any failure in quality assurance and performance standards, the Bidder shall rectify the defects at his own risk and cost within 7 days, failing which CNTL may impose a penalty and can get the rectification done at the risk and cost of the Bidder.
- 12. The Bidder shall prepare the mix design. However, CNTL shall review and provide support for getting the approvals of Mix design from IE. All necessary testing / test certificate for material used / work executed shall be carried out / provided by the Bidder to the full satisfaction of CNTL/IE and Test Reports shall be submitted along with RA Bills.
- 13. The Bidder shall solely be responsible for implementation of Traffic Management and Diversion during execution of awarded work as per IRC:SP:55-2014 "Guidelines on Traffic Management in Work Zones, other relevant IRC Codes, Clause 112 of Specifications for Road & Bridge Works (5th Revision) and as per Annexure -5B of RFB Volume I. Failing to adhere to implement Traffic Management, Diversion and Safety as per agreed & defined norms shall called for deduction of 2% of amount from each Running Account Bill of the Bidder as penalty.
- 14. TDS shall be deducted at the rates applicable as per provisions of Income Tax Act from Bidder's running bills. For this purpose, Bidder shall submit necessary documents / details / information's as may be required to CNTL from time to time.
- 15. The Bidder shall be responsible for compliance as per prevalent Labour Laws including the labour cess compliances and its payment to Authority.

- 16. Bidder shall arrange for all insurances including Bidder's equipment if any and its own surrounding property workmen's compensation, group accident, and group Mediclaim. CNTL will not be liable for any compensation towards loss of life & property. The Bidder shall provide, in the joint names of the Employer and the Bidder, insurance cover from any of the acceptable Insurance Companies in India, valid from the Start Date to the end of the Defects Liability cum Maintenance Period, including extended period, in the amounts and deductibles stated in the Contract Data.
- 17. Above Bill of Quantities with rates shall be submitted on letterhead of the Bidder with signature of authorized signatory and company stamp.

SECTION 7 SECURITIES AND OTHER FORMS

SECTION 7: SECURITIES AND OTHER FORMS

Form -7A : Form of Bid

Form – 7B : Bid Security (Bank Guarantee)

Form-7C: Letter of Acceptance

 $\begin{array}{ccccc} Form-7D & : & Deleted \\ Form-7E & : & Deleted \\ Form-7F & : & Deleted \\ Form-7G & : & Deleted \\ \end{array}$

Form – 7H : Bank Guarantee for Advance Payment

Form – 7I : Performance Bank Guarantee

Forms of Securities

Acceptable forms of securities are annexed. Bidders should not complete Advance Payment Security forms at this time. Only the successful Bidder will be required to provide Advance Payment Securities in accordance with one of the forms, or in a similar form acceptable to the Employer.

FORM OF BID

Chenani Nashri Tunnelway Limited

The IL&FS Financial Center, Plot C-22, G Block, Bandra Kurla Complex, Mumbai- 400051, Maharashtra

Tel.: +91 022-26533333,

Facsimile: +91 022-26523979

Gentlemen,

Sub.: Major Maintenance of Slope Protection and Structural Crack Repair Works at Chenani – Nashri section of NH-44 (Old NH-1A) from km. 89.00 to km. 130.00 including 9 km long tunnel (2 lane) with parallel escape tunnel in the state of Jammu & Kashmir

- 1. We offer to execute the Works described above in accordance with the Bidding Documents including Invitation for Bid, Instructions to Bidders, Conditions of Contract, Specifications and Drawings, Bill of Quantities, Annexures and Addenda for the Prices and sum mentioned in Annexure 1 of Section 6 of the Bidding Document attached with this letter. As per this, the payment for aforesaid Works is ₹ ______ as per the sum total as given in Annexure 1 of Section 6.
- 2. We understand that you are not bound to accept the lowest or any Bid you receive.
- 3. Unless and until an Agreement is prepared and executed, this Bid, together with your written acceptance thereof, shall constitute a binding Contract between us, but without prejudice to your right to withdraw such acceptance under the provisions of the Bid Document.
- 4. We assure you that the criteria based on which we were qualified are valid as of date.
- 5. We agree to abide by this Bid for the period of <u>Sixty (60) days</u> from the closing date of Bid Submission, and it shall remain binding upon us and may be accepted at any time before the expiry of that period.
- 6. We understand that for this Bid, we shall comply with the Eligibility, Bid Validity and Bid Security required as stated in the Bidding documents. We attach herewith our current Income Tax clearance certificate.

7. We undertake that, in competing for (and, if the award is made to us, in executing) the above contract, we will strictly observe the laws against fraud and corruption in force in India namely "Prevention of Corruption Act 1988".

Yours faithfully,

Authorized Signature:
Name & Title of Signatory:
Name of Bidder with official seal:
Address:

BID SECURITY (BANK GUARANTEE)

WHEREAS,			[name of Bidder]	(hereinafter called	"the Bidder")
has submitted hi	s Bid dat	ted	[da	(hereinafter called <i>ite]</i> for the works:	
"Major Mainte – Nashri section	nance o _j of NH- with par	f Slope Protection 44 (Old NH-1A) fi	and Structural (rom km. 89.00 to	Crack Repair Work km. 130.00 includi Jammu & Kashmir	s at Chenani ng 9 km long
KNOW ALL F	PEOPLE	by these presen	ts that We		
[name of bank]	having	our registered off	ice at		
`		<i>'</i>	`	inafter called "the E	
				ch payment well an	
made to the said	Employ	er the Bank binds i	itself, his successo	ors and assigns by th	nese presents.
SEALED with the	ne Comn	non Seal of the said	d Bank this	day of	2024
THE CONDITIO	ONS of t	his obligation are:			
(1)		Bid opening the I specified in the F		his Bid during the	period of Bid
(2)		Bidder having be- yer during the perio		e acceptance of hi	s Bid by the
	(a)	fails or refuses t with the Instructi		orm of Agreement i	n accordance
	(b)	Deleted			
	(c)	does not accept t 27 of ITB:	he correction of	the Bid Price pursu	ant to Clause

we undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including 45 days after the Bid validity period
as stated in the Instructions to Bidders or as it may be extended by the Employer, notice of
which extension(s) to the Bank is hereby waived. Any demand in respect of this guarantee
should reach the Bank not later than the above date.

DATE	SIGNATURE	OF	THE	BANK
WITNESS	SEAL			
	s1			

(Letterhead paper of the Employer)

Letter of Acceptance

То:	[name and addres	s of the Contractor]			[date]
Che	nani – Nashri sed	ction of NH-44 (Old	Protection and Struc I NH-1A) from km. E Scape tunnel in the st	89.00 to km. 1.	30.00 including
Dear	r Sirs,				
t (he work mention CNTL for an am- conditions as co	ed in the subject a nount mentioned be	bove has been acceptlow on rates quoted e-1 and Volume-2 issued.	oted for and o	n behalf of the the terms and
6	•	etion and maintenan	For the above-mention of works by you		•
	Particulars	Bid amount	Amount of Bid	Rebate	Bid Amount
		indicated	after arithmetical	offered	after Rebate
		1			(in 5)

Particulars	Bid amount	Amount of Bid	Rebate	Bid Amount
	indicated	after arithmetical	offered	after Rebate
	by you	corrections		(in ₹.)
	(in ₹)	(in ₹)		
Construction				
works				
	ТОТ	AL		

- 3. The net accepted amount of the Bid is ₹_______(₹ *In words*).
- 4. The date of start will be as defined in S. No. 5 of Contract Data.
- 5. The period of completion of whole work is as defined in S. No. 10 of Contract Data as Contract Completion Date.
- 6. Deleted.
- 7. You are also requested to sign and execute the Contract Agreement within 28 days, failing which action as stated in Para 32.3 of ITB will be taken.

8. You are requested to submit a detailed Construction Program including Environment and Traffic Management Plans as per Clause 25 of General Conditions of Contract, Section 3, Part-I within **21 days** of receipt of this letter.

Yours faithfully,

Authorized Signatory Name and Title of Signatory Name of Agency

Form - 7D

(Please refer Clause 32 of ITB)

Deleted

Form – 7F

(Please refer Clause 31 of ITB)

Deleted

FORM OF AGREEMENT

Agreement

CENT	ום זי	MEI	V
(TEIN I	LT. EJ	VLEJ	v

This agreement, made the	day of	2024 between
Chenani Nashri Tunnelway Limited, The	IL&FS Financial Center	, Plot C-22, G Block,
Bandra Kurla Complex, Mumbai- 400051	, Maharashtra, India (h	ereinafter called "the
Employer" which expression shall unless	the context otherwise	requires, include its
successors and assigns) of the one part and		
[name and address of contractor] (hereinafter	called "the Contractor"	which expression shall
unless the context otherwise requires, include	its successors and assigns	s) of the other part.

Whereas, Employer is desirous that Contractor to execute works:

"Major Maintenance of Slope Protection and Structural Crack Repair Works at Chenani – Nashri section of NH-44 (Old NH-1A) from km. 89.00 to km. 130.00 including 9 km long tunnel (2 lane) with parallel escape tunnel in the state of Jammu & Kashmir" (Hereinaster called "the Works") and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein, at a contract price as given in this Contract.

NOW THIS AGREEMENT WITNESSETH as follows:

- 1. In this Agreement, words and expression shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.
- 2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all aspects with the provisions of the Contract.
- 3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying the defects wherein the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
- 4. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:

- i) Letter of Acceptance;
- ii) Contractor's Bid;
- iii) Contract Data;
- iv) Conditions of Contract (including Special Conditions of Contract);
- v) Specifications;
- vi) Drawings; if any
- vii) Bill of Quantities
- viii) Any other document forming part of the Contract.

In witness whereof, the parties thereto have caused this Agreement to be executed the day and year first before written.

Signed, Sealed and Delivered by the said Employer through his authorized representative and the said Contractor through his Power of Attorney Holder:

FOR AND ON BEHALF OF	W	itness:	
Chenani Nashri			
Tunnelway Limited	1)	Signature	
By			
		Name	
		Address	
AUTHORIZED REPRESENTATIVE			
	2)	Signature	
		Name	
		A 11	
		Address	

FOR AND BEHALF OF	1)	Signature	
M/s			
Ву		Name	
		Address	
AUTHORIZED REPRESENTATIVE			
	2)	~ :	
	2)	Signature	
		Name	
		Name	
		Address	
		Address	

BANK GUARANTEE FOR ADVANCE PAYMENT

To,
Chenani Nashri Tunnelway Limited
The IL&FS Financial Center,
Plot C-22, G Block,
Bandra Kurla Complex,
Mumbai- 400051, Maharashtra
Tel.: +91 022-26533333,
Facsimile: +91 022-26523979
Bank Guarantee Nodated for ₹
WHEREAS vide the "Major Maintenance of Slope Protection and Structural Crack Repair
Works at Chenani – Nashri section of NH-44 (Old NH-1A) from km. 89.00 to km. 130.00
including 9 km long tunnel (2 lane) with parallel escape tunnel in the state of Jammu &
Kashmir" Contract dated (hereinafter referred to as "the Contract"),
[name of Contractor] a company incorporated under the Companies Act,
1956 and having its registered office at (hereinafter referred to
as the 'Contractor' which expression shall unless repugnant to or inconsistent with the
context mean and include its successors and assigns) has been awarded by Chenani Nashri
Tunnelway Limited, having its registered office at The IL&FS Financial Center, Plot C-22, G
Block, Bandra Kurla Complex, Mumbai- 400051, Maharashtra, India, (hereinafter referred to
as the 'Employer' which expression shall unless repugnant to or inconsistent with the context
mean and include its successors and assigns), the contract for the works "Major
Maintenance of Slope Protection and Structural Crack Repair Works at Chenani - Nashri
section of NH-44 (Old NH-1A) from km. 89.00 to km. 130.00 including 9 km long tunnel (2
lane) with parallel escape tunnel in the state of Jammu & Kashmir"
AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall
furnish you a Advance Payment Guarantee security, at the time of forwarding a request for
Advance payment, from a specified nationalized/scheduled bank, for the sum proposed to
be released as Advance Payment in accordance with the terms and conditions of the Contract.
AND WHEREAS WE, [name of Bank], a body corporate, constituted
under [relevant Act] and having its head office at and branch office at
have agreed to furnish a Advanced Payment Guarantee for a sum of
₹ (Rupees Only) (hereinafter referred as the guaranteed amount) as
security for compliance of the Contractor's obligations under the Contract;

NOW THEREFORE we hereby affirm that we, as the Guarantor, are responsible to you, on behalf of the Contractor for the guaranteed amount and we irrevocably undertake to pay you, upon your first written demand and without demur or argument, any sum or sums within the limits of the guaranteed amount as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified herein. The guaranteed amount shall be payable merely on demand by the Employer. Any certification or letter stating that the amount claimed in the demand notice is due and payable, signed by a duly authorised official of the Employer to this effect, shall be final, binding and conclusive upon us.

We hereby agree to pay on demand the guaranteed amount without demur by crediting to the Bank Account of the Employer, the details of which are to be informed to us by you during the validity of the guarantee.

We hereby undertake that this Guarantee is absolute, irrevocable and unconditional and shall be enforceable against us notwithstanding any security or securities comprised in any instrument executed or to be executed by the Contractor in favour of the Employer.

We hereby also agree that this guarantee shall not be wholly or partially satisfied or exhausted by any payments made to or settled with the Employer by the Contractor and shall be valid and binding on us and operative until the expiry of this Guarantee.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

The jurisdiction in relation to this Guarantee shall be the Courts at Mumbai and laws of India shall be applicable. This guarantee shall be valid up to 45 days beyond the period of stipulated period of complete recovery defined in S. No. 18 of Contract Data ______ (Expiry Date). We hereby agree to renew and extend the validity of this Guarantee on request from you. Unless a demand or claim is lodged within the aforesaid time, i.e. Expiry Date, your rights under this Guarantee shall be forfeited and we shall not be liable there under.

WE hereby represent that there is no litigation or arbitration or other proceedings pending against us which could reasonably be expected to have a material adverse effect or change in our ability to perform our obligation under this Guarantee.

Notwithstanding anything contained herein:								
a)	our liability under this Guarantee	shall no	ot exceed	the	guaranteed	amount	i.e.	₹
	(Rupees Only)							
b)	this guarantee shall be valid up to		_ (Expiry l	Date)	and			

c)	we shall be liable to pay the guaranteed amount under this Guarantee only and only if we receive a written claim or demand duly signed by a duly authorised official of the
	Employer before the as mentioned above or any other extended date.
IN	WITNESS WHEREOF we have executed this Guarantee on this day of,
	_•
Sig	gnature
Da	te and place

FORMAT FOR PERFORMANCE BANK GUARANTEE

To,

Chenani Nashri Tunnelway Limited

The IL&FS Financial Center, Plot C-22, G Block, Bandra Kurla Complex, Mumbai- 400051, Maharashtra

Tel.: +91 022-26533333,

Facsimile: +91 022-26523979

WHEREAS:

- (A)...... (the "Contractor") and Chenani Nashri Tunnelway Limited (the "Employer / CNTL") have entered into a Contract Agreement dated (the "Agreement") whereby CNTL has awarded "Major Maintenance of Slope Protection and Structural Crack Repair Works at Chenani Nashri section of NH-44 (Old NH-1A) from km. 89.00 to km. 130.00 including 9 km long tunnel (2 lane) with parallel escape tunnel in the state of Jammu & Kashmir".
- (B) The Agreement requires the Contractor to furnish a Performance Security to the Employer / CNTL in a sum of 5% of Agreed Contract Value as security for due and faithful performance of its obligations, under and in accordance with the Agreement, during the Construction Period (as defined in the Agreement).
- (C) We, through our Branch at (the "Bank") have agreed to furnish this Bank Guarantee by way of Performance Security.

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, guarantees and affirms as follows:

1. The Bank hereby unconditionally and irrevocably guarantees the due and faithful performance of the Contractor's obligations during the Construction Period, under and in accordance with the Agreement, and agrees and undertakes to pay to the CNTL /Employer, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums upto an aggregate sum of the Guarantee Amount as the CNTL / Employer shall claim, without the Employer / CNTL being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.

- 2. A letter from CNTL/Employer that the Contractor has committed default in the due and faithful performance of all or any of its obligations under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the CNTL/Employer shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during the Construction Period under the Agreement and its decision that the Contractor is in default shall be final, and binding on the Bank, notwithstanding any differences between the Employer / CNTL and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other authority or body, or by the discharge of the Contractor for any reason whatsoever.
- 3. In order to give effect to this Guarantee, the Employer / CNTL shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
- 4. It shall not be necessary, and the Bank hereby waives any necessity, for the Employer / CNTL to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
- 5. The Employer / CNTL shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Agreement or to extend the time or period for the compliance with, fulfilment and/ or performance of all or any of the obligations of the Contractor contained in the Agreement or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Employer / CNTL against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Employer / CNTL, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Employer / CNTL of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Employer / CNTL or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.
- 6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Employer / CNTL in respect of or relating to the Agreement or for the fulfilment, compliance and/or performance of all or any of the obligations of the Contractor under the Agreement.

- 7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee Amount and this Guarantee will remain in force until the successful completion of *Defect Liability Period of 18 Months from the Date of issue of Completion Certificate* and unless a demand or claim in writing is made by the Employer / CNTL on the Bank under this Guarantee, no later than 6 (six) months from the date of expiry of this Guarantee, all rights of the Employer / CNTL under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.
- 8. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Employer / CNTL in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.
- 9. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred Branch, which shall be deemed to have been duly authorised to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Employer / CNTL that the envelope was so posted shall be conclusive.
- 10. This Guarantee shall come into force with immediate effect and shall remain in force and effect for a period as per point 7 or until it is released earlier by the Employer / CNTL pursuant to the provisions of the Agreement.

11.	This guarantee shall also be operatable at our	branch at Mumbai,
	from whom, confirmation regarding the issue of this guarantee or	extension/ renewal
	thereof shall be made available on demand. In the contingency of t	his guarantee being
	invoked and payment hereunder claimed, the said branch shall account	cept such invitation
	letter and make payment of amounts so demanded under the said inv	ocation.

Signed an	d sealed this	day of	2024	at
MISHIEU AH	O SCAICO IIIIS	CIAV OI	/11/4	<u> </u>

SIGNED, SEALED AND DELIVERED For and on behalf of the BANK by:

(Signature)
(Name)
(Designation)
(Code Number)
(Address)

NOTES:

- i. The bank guarantee should contain the name, designation and code number of the officer(s) signing the guarantee.
- ii. The address, telephone number and other details of the Head Office of the Bank as well as of issuing Branch should be mentioned on the covering letter of issuing Branch.